PRODUCT DATA SHEET

SM2234A Non-contact Tachometer



Features

- ☐ Large LCD display for easy viewing (5 digits of 18 mm).
- □ Sampling time: 0.8 seconds (at more than 1000 RPM).
- ☐ Automatic range selection.
- ☐ Memory pairto the maximum, minimum and last values.
- ☐ Measuring speed: 2.5 to 99,999 RPM.

Tool based on laser light that allows measuring the rotation speed of an object. It incorporates intelligent electronics, with photo-electric techniques and retro-illuminated LCD viewfinder.

Specifications

- ➤ Large LCD display for easy viewing (5 digits of 18 mm).
- > Sampling time: 0.8 seconds (at more than 1000 RPM).
- > Automatic range selection.
- ➤ Memory pairto the maximum, minimum and last values.
- Measuring speed: 2.5 to 99,999 RPM.
- Resolution: 0.1 RPM (2.5 to 999.9 RPM) and 1 RPM (at 1000 RPM or more).
- ➤ Detection distance: 50 to 500 mm.
- Accuracy of 0.05%.
- ▶ 6 MHz quartz crystal.
- ➤ It works with 3 1.5V AA batteries (not included).
- > Size: 155 x 70 x 35 mm.

ติดต่อ บริษัท นีโอนิคส์ จำกัด

27/85 ถนนสามวา แขวงมีนบุรี เขตมีนบุรี กรุงเทพ 10510